



Artet LLC
485 Madison Ave
New York, NY 10022
License #:
Confident ID: 2504SMIL0432.2581
BioTrack Lot ID:



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 800000016

Certificate: 29692

Artet Chamomile Lemon Spritz (8.4oz)

BioTrack Lot ID:
BioTrack Sample ID: 07925
Confident ID: 2504SMIL0432.2581
Sample Type: Beverage

Sample Collected: 04/24/2025
Sample Received: 04/24/2025
Report Published: 04/29/2025



RESULTS SUMMARY

Cannabinoid Profile Tested	Microbial Contaminants Tested	Residual Solvents Tested	0.00203% Total THC
Pesticides Tested	Mycotoxins Tested	Heavy Metals Tested	0.00211% Total CBD
Foreign Matter Tested	Moisture Analysis Not Tested	Water Activity Not Tested	0.00414% Total Cannabinoids
	Terpenes Not Tested		NT Total Terpenes

Report Notes:

Philip Travisano III, Ph.D.

CTS Illinois State Director

Smithers CTS Illinois LLC
8205 Cass Ave. Ste. 106
Darien, IL 60561
(872)-870-0500



Accreditation #: 107434

Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations.



Artet LLC
485 Madison Ave
New York, NY 10022
License #:
Confident ID: 2504SMIL0432.2581
BioTrack Lot ID:



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 800000016

Certificate: 29692

Cannabinoids

Tested

Sample Analysis

Sample Prep Date: 04/25/2025
Sample Analysis Date: 04/28/2025
Analyzed By: Agilent 1260 HPLC
SOP: SOP-CANN-001

Analyte	LOD (%)	LOQ (%)	Results (%)	Results (mg/g)	Results (mg/serving)	Results (mg/package)
CBC	4.99e-05	9.97e-05	ND	ND	ND	ND
CBCA	4.99e-05	9.97e-05	ND	ND	ND	ND
CBDV	4.99e-05	9.97e-05	ND	ND	ND	ND
CBDVA	4.99e-05	9.97e-05	ND	ND	ND	ND
CBD	4.99e-05	9.97e-05	0.00211	0.0211	5.24	5.24
CBDA	4.99e-05	9.97e-05	ND	ND	ND	ND
CBG	4.99e-05	9.97e-05	< LOQ	< LOQ	< LOQ	< LOQ
CBGA	4.99e-05	9.97e-05	ND	ND	ND	ND
CBN	4.99e-05	9.97e-05	ND	ND	ND	ND
Δ 8-THC	4.99e-05	9.97e-05	ND	ND	ND	ND
Δ 8-THCV	4.99e-05	9.97e-05	NT	NT	NT	NT
Δ 9-THC	4.99e-05	9.97e-05	0.00203	0.0203	5.03	5.03
Δ 9-THCV	4.99e-05	9.97e-05	ND	ND	ND	ND
THCVA	4.99e-05	9.97e-05	ND	ND	ND	ND
THCA	4.99e-05	9.97e-05	ND	ND	ND	ND

Cannabinoid Totals	Results (%)	Results (mg/g)	Results (mg/serving)	Results (mg/package)
Total THC	0.00203	0.0203	5.03	5.03
Total CBD	0.00211	0.0211	5.24	5.24
Total Cannabinoids	0.00414	0.0414	10.3	10.3

Total THC = THCa * 0.877 + Δ 9-THC
Total CBD = CBDa * 0.877 + CBD
Total Cannabinoids = Sum of all analytes


Serving Weight: 248g;

Report Notes:

Philip Travisano III, Ph.D.

CTS Illinois State Director

Smithers CTS Illinois LLC
8205 Cass Ave. Ste. 106
Darien, IL 60561
(872)-870-0500



Accreditation #: 107434

Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations.



Artet LLC
485 Madison Ave
New York, NY 10022
License #:
Confident ID: 2504SMIL0432.2581
BioTrack Lot ID:



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 800000016

Certificate: 29692

Pesticides

Tested

Sample Analysis

Sample Prep Date: 04/25/2025
Sample Analysis Date: 04/28/2025
Analyzed By: Agilent Ultivo LC-MS/MS
SOP: SOP_PEST_001

Analyte	LOD (ppb)	LOQ (ppb)	Results (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Results (ppb)
Acetamiprid	4.32	8.64	ND	Flonicamid	10.8	21.6	ND
Aldicarb	8.64	17.3	ND	Imidacloprid	8.64	17.3	ND
Bifenthrin	8.64	17.3	ND	Kresoxim Methyl	4.32	8.64	ND
Carbaryl	8.64	17.3	ND	Metaxyl	8.64	17.3	ND
Carbofuran	8.64	17.3	ND	Oxamyl	21.6	43.2	ND
Chlorantraniliprole	8.64	17.3	ND	Phosmet	8.64	17.3	ND
Chlorpyrifos	4.32	8.64	ND	Pyridaben	4.32	8.64	ND
Clofentezine	4.32	8.64	ND	Spiromesifen	4.32	8.64	ND
Diazinon	8.64	17.3	ND	Spirotetramat	4.32	8.64	ND
Ethrophos	8.64	17.3	ND	Tebuconazole	17.3	34.6	ND
Etofenprox	4.32	8.64	ND	Thiamethoxam	8.64	17.3	ND
Etoxazole	4.32	8.64	ND	Trifloxystrobin	4.32	8.64	ND
Fenpyroximate	4.32	8.64	ND				

Mycotoxins

Tested

Sample Analysis

Sample Prep Date: 04/25/2025
Sample Analysis Date: 04/28/2025
Analyzed By: Agilent Ultivo LC-MS/MS
SOP: SOP_PEST_001

Analyte	LOD (ppb)	LOQ (ppb)	Results (ppb)
Aflatoxin B1	5.70	17.3	ND
Aflatoxin B2	5.70	17.3	ND
Aflatoxin G1	5.70	17.3	ND
Aflatoxin G2	5.70	17.3	ND
Ochratoxin A	5.70	17.3	ND

Report Notes:

Philip Travisano III, Ph.D.

CTS Illinois State Director

Smithers CTS Illinois LLC
8205 Cass Ave. Ste. 106
Darien, IL 60561
(872)-870-0500



Accreditation #: 107434

Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations.



Artet LLC
485 Madison Ave
New York, NY 10022
License #:
Confident ID: 2504SMIL0432.2581
BioTrack Lot ID:



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 800000016

Certificate: 29692

Heavy Metals

Tested

Sample Analysis

Sample Prep Date: 04/25/2025
Sample Analysis Date: 04/28/2025
Analyzed By: Agilent 7800 ICP-MS
SOP: SOP_HM_001

Analyte	LOD (ppb)	LOQ (ppb)	Results (ppb)
Cadmium	24.2	72.8	ND
Mercury	2.42	7.28	ND
Lead	24.2	72.8	ND
Chromium	24.2	72.8	ND
Arsenic	24.2	72.8	ND

Microbial Impurities

Tested

Sample Analysis

Sample Prep Date: 04/24/2025
Sample Analysis Date: 04/28/2025
Analyzed By: 3M Petrifilm
SOP: SOP_MICRO_001


Analyte	Results (cfu/g)
Total Aerobic Bacteria	ND
Total Bile-Tolerant Gram-Negative Bacteria	ND
Total Coliforms	ND
Total Yeast & Mold	ND
<i>E.coli</i> (pathogenic strains)	Not Detected
<i>Salmonella</i> spp.	Not Detected

Report Notes:

Philip Travisano III, Ph.D.

CTS Illinois State Director

Smithers CTS Illinois LLC
8205 Cass Ave. Ste. 106
Darien, IL 60561
(872)-870-0500



Accreditation #: 107434

Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations.



Artet LLC
485 Madison Ave
New York, NY 10022
License #:
Confident ID: 2504SMIL0432.2581
BioTrack Lot ID:



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 800000016

Certificate: 29692

Residual Solvents

Tested

Sample Analysis

Sample Prep Date: 04/24/2025
Sample Analysis Date: 04/25/2025
Analyzed By: GCMS
SOP: SOP-RS-001


Analyte	LOD (ppm)	LOQ (ppm)	Results (ppm)
Acetone	6.48	13.0	ND
Butane	6.48	13.0	ND
Ethanol	6.48	13.0	663
Ethyl Acetate	6.48	13.0	ND
Ethyl Ether	6.48	13.0	ND
Ethylene Oxide	1.08	2.16	ND
Heptane	6.48	13.0	ND
Hexane	6.48	13.0	ND
Isopropyl Alcohol	6.48	13.0	ND
Methanol	6.48	13.0	ND
Methylene Chloride	6.48	13.0	ND
Pentane	6.48	13.0	ND
Petroleum Ether	6.48	13.0	ND
Propane	6.48	13.0	ND
Trichloroethylene	6.48	13.0	ND
Toluene	6.48	13.0	ND
Xylenes	13.0	25.9	ND

Report Notes:

Philip Travisano III, Ph.D.

CTS Illinois State Director

Smithers CTS Illinois LLC
8205 Cass Ave. Ste. 106
Darien, IL 60561
(872)-870-0500



Accreditation #: 107434

Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations.



Artet LLC
485 Madison Ave
New York, NY 10022
License #:
Confident ID: 2504SMIL0432.2581
BioTrack Lot ID:



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 800000016

Certificate: 29692

Foreign Matter

0.0%

Sample Analysis

Sample Prep Date: 04/25/2025
Sample Analysis Date: 04/25/2025
Analyzed By: Visual Inspection
SOP: SOP_FM_001




Report Notes:

Philip Travisano III, Ph.D.

CTS Illinois State Director

Smithers CTS Illinois LLC
8205 Cass Ave. Ste. 106
Darien, IL 60561
(872)-870-0500



Accreditation #: 107434

Test results apply to samples within this Certificate of Analysis only. Certificate of Analysis shall not be reproduced except in full without approval of the laboratory. Smithers CTS IL LLC uses simple acceptance for all pass/fail results. Uncertainty is not taken into account for pass/fail determinations.